


**END STRAINER ASSEMBLY**

**CORNER STRAINER ASSEMBLY**

FOR GUIDENCE ON USE REFER TO STRAINER AND POST DETAILS

COATING OPTION				
	PVC COATED		GALVANISED	
CHAINWIRE MESH	2400x50xØ3.15 PVC COATED	△ 2	2400x50xØ3.15 GALVANISED	△ 2
STRAINER WIRE	SINGLE Ø4.0 HELICOIL PVC COATED		SINGLE Ø4.0 HELICOIL GALVANISED	
Ø2.0 MESH TIE WIRE	PVC COATED		GALVANISED	
STEEL PIPE PRESSED CAP CLIP TEE	POWDER COATED		GALVANISED	



REFERENCE DRAWINGS	
STRAINER AND POST DETAILS	200331-0109

**NOTES**

- FENCING TO BE SUPPLIED AND INSTALLED IN ACCORDANCE WITH AUSTRALIAN STANDARD AS 1725 AND MAIN ROADS SPECIFICATION 903 FENCING.
- DIMENSIONS SHOWN ON THIS DRAWING ARE TYPICAL.
- WIRE DIAMETER AND PIPE WALL THICKNESSES ARE WITHOUT GALVANISING.
- FOR DIMENSIONS AND OTHER DETAILS OF GATES, STRAINERS AND POSTS REFER TO THE REFERENCE DRAWINGS.
- ALL WIRE TO BE JOINED BY FIGURE OF 8 KNOT OR WIRE JOINERS AS PER INDUSTRY STANDARDS.
- ALL UNITS ARE IN MILLIMETRES UNLESS OTHERWISE NOTED.

No.	DESCRIPTION	APPROVED & DATE
2	CHAINWIRE MESH SIZE CORRECTED.	A.Wong 29/11/23
1	TITLE BLOCK & FILE No. UPDATED	A.WONG 26/10/23
<b>AMENDMENTS</b>		

<p>PLANNING AND TECHNICAL SERVICES DIRECTORATE ROAD AND TRAFFIC ENGINEERING BRANCH Waterloo Crescent Telephone 138 138</p>	DRAWN	RTE BRANCH
	DESIGNED	M. VASEV 14.06.05
	VERIFIED	J. KARPINSKI 15.06.05
	APPROVED	W. CANNELL 15.06.05
	FILE NO.	13/4330

STANDARD DRAWING FENCING 2400 CHAINWIRE FENCE GATE AND STRAINER ASSEMBLY DETAILS	
MRWA DRAWING NUMBER	AMENDMENT
<b>200331-0108-2</b>	

NOT TO SCALE  
A 3